


IROAD™

IROAD ACCESSORIES

Market leading components to compliment your dash camera

POWERPACK PRO

Stay **Protected, Sustainable** Power Supply
Rapid Charging with the PowerPackPRO12



- A** Displays ACC voltage / VCC voltage / Output voltage
- B** Displays the estimated remaining battery capacity of the auxiliary battery
- C** Input current (HIGH-8A, FULL / LOW-4A, HALF) status, charging (CHAR), Displays the standby status
- D** Displays the current battery voltage/charging amperage firmware version and circuit temperature



90 Min Charging
56 Hours Use
Power Consumption 2.4W

DOUBLE PROTECTION SYSTEM FOR HIGH TEMPERATURE, OVERCHARGE AND OVERVOLTAGE SHORT-CIRCUIT PROTECTION / CELL BALANCING

It automatically cuts power for security depending on the battery's temperature.

It accurately controls the voltage and balance between cells safely with the circuits designed to prevent overcharge and overvoltage.

LiFePO4 (Lithium Iron Phosphate) battery, which has a 3times longer lifespan than Lithium-ion and nickel-based batteries, has excellent stability against fire and explosion, and can be charged more than 2000 times.

X-SCANNER

ONE SIMPLE PLUG-AND-FORGET TOOL, TWO INVALUABLE FUNCTIONS

Connect the IROAD OBD X-Scanner to your dash cam and turn your smart device into a car diagnostic scan tool, all you need is the IROAD mobile app and an IROAD X10 or X11 dash camera.

The X-Scanner is an easy-to-use OBDII scan tool built specifically for car owners. It is essentially an OBD Power Cable but with built-in scan functionality. Not only can the X-Scanner supply power to your dash cam for parking recording, you can use it to perform OBDII scans on your vehicle. The next time you see any problems on your dashboard, just open the IROAD mobile app to do a quick scan before bringing your car into the shop.



X-SECURITY COVER

Secure All Cables with the X10/X11 X-Security Cover

The IROAD X10/X11 security cover helps to keep cables neat and tidy. Furthermore, it prevents damage and physical access to the cables of the dash cam.

Prevent Memory Card Corruption

The IROAD X10/X11 security cover is an accessory to protect the Micro SD card slot from physical access, so that video files cannot be damaged or deleted.





JW-100

IROAD IOPC (OBDII Power Cable) **JW-100**
(Non-electric/Hybrid)



JW-200

IROAD IOPC (OBDII Power Cable) **JW-200**
(Electric)

OBDII POWER CABLE

Stable Power Supply
IROAD Dedicated Power Cable

IOPC (IROAD OBDII Power Cable) built-in switch allows setting the recording mode at all times.

S:Driving mode only
P:Driving & Parking mode

FULL HD IR CAMERA

The **IROAD IR** (infrared) camera is specifically designed for recording in normal conditions, but especially for low to zero light like the interior of the vehicle at night when there is no ambient light around.

The IROAD IR Camera can be retrofitted to your existing X5, X9, X11 or X10 dash camera system.
Ideal for Taxi, Delivery drivers, Couriers, Ride-Share and Commercial use.



Features

FHD (1920*1080) @30fps / 136°
Specialized for interior recording with the infrared light.
Supplied with 1m cable for quick & easy installation

SD CARDS

Genuine IROAD memory cards record in High Definition video and are strictly tested to ensure best speed and image stability. All IROAD SD Cards are Class 10 U3 and all IROAD Dash Camera systems can support up to 256gb.

