




2CH FRONT & REAR



140° WIDE ANGLE



FRONT FHD **REAR FHD**



2.4W MINIMUM POWER



ROAD SAFETY WARNING SYSTEM



FRONT - 30fps REAR - 30fps



WIFI CONNECTION IROAD APP



BATTERY DISCHARGE PREVENTION



NIGHTTIME PICTURE QUALITY CORRECTION



FORMAT FREE AUTO RECOVERY

ADAS Advanced Driver Assistance Systems

The IROAD FX series is equipped with the Road Satety Warning System that provides audio and visual alerts for Lane Departure (LDWS). Front Collision (FCWS) and Front Vehicle Departure (FVDW). It detects road markings and gives voice warnings to the drivers if the vehicle begins to stray from its lane or when it is at risk of an imminent crash.



LDWS Lane Departure Warning System




FCWS Forward Collision Warning System



FVDW Front Vehicle Departure Warning

NIGHT VISION Nighttime Picture Quality Correction

Videos recorded by a dash cam in a low light environment such as a dark alleyway or underground parking lot can pose difficulties when you try to accurately identify information from the image. IROAD NIGHT VISION employs the new ISP (Image Signal Processing) technology and the real-time image processing function to give brighter images when recorded under nighttime parking mode.



AUTOMATIC EXPOSURE

Light Exposure

Sudden light exposure while driving, such as strong direct sunlight or the light of oncoming vehicles at night, can sometimes affect your vision and make it difficult to assess the situation. The IROAD FX series dash cameras automatically adjust the amount of light exposure to provide bright and clear images in almost any situation.



WI-FI CONNECTION AND **IROAD** APP



The FX2's built-in Wi-Fi can conveniently connect automatically to the mobile app upon opening, making it simple to pair the unit with your device to review or extract footage from the camera.

Manage all settings such as ADAS, resolution, sensor, time, sound, cut off voltage and more through the app.

What's more, the latest version of the firmware is regularly updated through the server once connected.